

# **Safety Data Sheet**

10ppm Nitrogen Dioxide, 60ppm Carbon Monoxide; balance Nitrogen

Ideal Calibrations, LLC 2750 Oakwood Blvd. Melvindale, MI 48122 (734) 956-0539 http://www.idealcalibrations.com/

### **Section 1: Product and Company Identification**

Ideal Calibrations, LLC 2750 Oakwood Blvd. Melvindale, MI 48122 (734) 956-0539 http://www.idealcalibrations.com/

Product Code: 10ppm Nitrogen Dioxide, 60ppm Carbon Monoxide; balance Nitrogen

Part Number: 0444

Synonyms:

Recommended Use: Calibration of gas detection devices

Usage Restrictions: Do not use if current date is past expiration date on cylinder

### **Section 2: Hazards Identification**



**Hazard Classification:** 

Gases Under Pressure

**Hazard Statements:** 

Contains gas under pressure; may explode if heated

**Precautionary Statements** 

Storage:

Protect from sunlight. Store in well-ventilated place.

Ideal Calibrations, LLC page 1 of 7

## **Section 3: Composition/Information on Ingredients**

	CAS#	Concentration
Nitrogen Dioxide	10102-44-0	0.001
Carbon Monoxide	630-08-0	0.006
Nitrogen	7727-37-9	99.993

	Chemical Substance	Chemical Family	Trade Names
Nitrogen Dioxide	NITROGEN DIOXIDE	Inorganic gases	Dinitrogen tetroxide Dinitrogen tetroxide, liquefied Nitrogen dioxide, liquefied Nitrogen oxide Nitrogen peroxide Nitrogen peroxide, liquefied Nitrogen tetroxide
Carbon Monoxide	CARBON MONOXIDE	Inorganic gases	CARBON OXIDE; CARBON OXIDE (CO); UN 1016; CO
Nitrogen	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2

## **Section 4: First Aid Measures**

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Nitrogen Dioxide	Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.	Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Not applicable route of exposure	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	None
Carbon Monoxide	Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.	Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Nitrogen	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

## **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Nitrogen Dioxide	Non-flammable gas. Use suitable extinguishing media for surrounding fire.	Thermal decomposition to give nitric oxide and oxygen when heated above 160 deg C	<ul> <li>Any self-contained breathing apparatus with a full facepiece. Use a chemical protective suit.</li> <li>Any self-contained breathing apparatus with a full facepiece. Use a chemical protective suit.</li> </ul>
Carbon Monoxide	Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray.	Carbon dioxide	<ul> <li>Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.</li> <li>Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.</li> </ul>

Ideal Calibrations, LLC page 2 of 7 Date of Preparation: 11/18/2021 18:18:12

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Nitrogen	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> </ul>

## **Section 6: Accidental Release Measures**

	Personal Precautions	Environmental Precautions	Methods for Containment
Nitrogen Dioxide	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	Avoid heat, flames, sparks and other sources of ignition. Keep out of water supplies and sewers.	Not available.
Carbon Monoxide	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.	Avoid heat, flames, sparks and other sources of ignition. Keep out of water supplies and sewers.	Stop leak if possible without personal risk. Reduce vapors with water spray. Remove sources of ignition.
Nitrogen	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	No significant effects from contamination expected.	Stop leak if possible without personal risk.

	Methods for Cleanup	Other Information
Nitrogen	Contact emergency personnel	None.
Dioxide		
Carbon	Stop leak, evacuate area. Wear protective	Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986
Monoxide	equipment.	(Proposition 65).
Nitrogen	N/A	N/A

## **Section 7: Handling and Storage**

	Handling	Storage
Nitrogen Dioxide	Store and use with adequate ventilation. Firmly secure cylinders upright to keep them from falling or being knocked over. Screw valve protection cap firmly in place by hand. Store only where temperature will not exceed 125F (52C). Store full and empty cylinders separately. Use a first-in, first-out inventory system to prevent storing full cylinders for long periods.	Do not get liquid in eyes, on skin, or clothing. Protect cylinders from damage. Use a suitable hand truck to move cylinders; do not drag, roll, slide, or drop. Open valve slowly. Close cylinder valve after each use; keep closed even when empty. If valve is hard to open, discontinue use and contact your supplier.
Carbon Monoxide	Keep separated from incompatible substances.	Store and handle in accordance with all current regulations and standards. Grounding and bonding required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.
Nitrogen	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	Keep separated from incompatible substances.

### **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Nitrogen	TLV-TWA: 3 ppm Short-term Exposure Limits (TLV-STEL): 5ppm
Dioxide	
Carbon	CARBON MONOXIDE: 50 ppm (55 mg/m3) OSHA TWA 35 ppm (40 mg/m3) OSHA TWA (vacated by 58 FR 35338, June 30,
Monoxide	1993) 200 ppm (229 mg/m3) OSHA ceiling (vacated by 58 FR 35338, June 30, 1993) 25 ppm ACGIH TWA 35 ppm (40 mg/m3)
	NIOSH recommended TWA 10 hour(s) 200 ppm (229 mg/m3) NIOSH recommended ceiling
Nitrogen	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)

### **Engineering Controls**

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Nitrogen Dioxide	Eye protection not required, but recommended.	Wear appropriate chemical resistant clothing.	Any self-contained breathing apparatus with a full facepiece. Use a chemical protective suit.

Ideal Calibrations, LLC page 3 of 7 Date of Preparation: 11/18/2021 18:18:12

	Eye Protection	Skin Protection	Respiratory Protection
Carbon Monoxide	Eye protection not required, but recommended.	Protective clothing is not required.	Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.
Nitrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.

### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

# **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Nitrogen Dioxide	Gas	Clear	Yellow to dark brown	N/A	Gas	Pungent odor	N/A
Carbon Monoxide	Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless
Nitrogen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Nitrogen Dioxide	Not applicable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable
Carbon Monoxide	Flammable	Not available	1479.11 (log = 3.17) (estimated from water solubility)	1128-1202 F (609- 650 C)	0.74	12.0-12.5%
Nitrogen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
Nitrogen Dioxide	70.1F	12 F (-11 C)	760 mmHg @ 21.1 C	1.58 (air=1)	1.449	Reacts to form nitric acid and nitrous acid; nitrous acid then decomposes to nitric acid and nitric oxide.	Not applicable; solutions are very acidic	Reported values vary. 0.11- 0.14 ppm (minimum perceptible value)	Not applicable	0.42 cP @ 20 C
Carbon Monoxide	-312.7 F (- 191.5 C)	-326 F (- 199 C)	760 mmHg @ -191 C gas; cannot be liquefied at room temperature	0.968 (Air=1)	Not applicable	2.3% @ 20 C	Not applicable	Not available	Not applicable	0.01657 cP @ 0 C
Nitrogen	-321 F (-196 C)	-346 F (- 210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applicable	Not available	Not applicable	0.01787 cP @ 27 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Nitrogen Dioxide	46.01 (NO2) or 92.01 (N2O4)	N-O2 or N2- O4	Not available	Not available	100%	Not available	Soluble: Alkalies, chloroform, carbon disulfide and concentrated nitric and sulfuric acids.
Carbon Monoxide	28.01	C-O	1.250 g/L @ 0 C	Not available	100%	Not applicable	Soluble: Alcohol, benzene, acetic acid, ethyl acetate, chloroform, cuprous chloride solutions
Nitrogen	28.0134	N2	1.2506 g/L	Not available	100%	1	Soluble: Liquid ammonia

Ideal Calibrations, LLC Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Date of Preparation: 11/18/2021 18:18:12

## Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Nitrogen Dioxide	Normally stable. Nitrogen dioxide thermally decomposes to nitric oxide and oxygen when heated above 160 deg C.	Normally stable. Nitrogen dioxide thermally decomposes to nitric oxide and oxygen when heated above 160 deg C.	ACETIC ANHYDRIDE, ALCOHOLS, AMMONIA, BORON TRICHLORIDE, CALCIUM, DIMETHYL SULFOXIDE, FORMALDEHYDE, hydrogen, oxygen, metals
Carbon Monoxide	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Oxidizing materials, halogens, metal oxides, metals, combustible materials, lithium
Nitrogen	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Metals, oxidizing materials

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
Nitrogen Dioxide	Decomposes in water to form nitric acid and nitrous acid.	Will not polymerize.
Carbon Monoxide	Oxides of carbon	Will not polymerize.
Nitrogen	Oxides of nitrogen	Will not polymerize.

# Section 11: Toxicology Information

#### **Acute Effects**

	Oral LD50	Dermal LD50	Inhalation
Nitrogen Dioxide	LC50 Inhalation Vapor Rat 790 mg/m3 5 minutes	Not available	Respiratory tract irritation, cough, dyspnea, headache, nausea, irregular heartbeat, fatigue, pulmonary edema, rapid breathing, increased heart rate, dyspnea, chest pain, bleeding from the lungs or small airways and cyanosis (bluish discoloration of the skin)
Carbon Monoxide	LC50 Inhalation Gas. Rat 1807 ppm 4 hours	Not available	Changes in body temperature, changes in blood pressure, nausea, vomiting, chest pain, difficulty breathing, irregular heartbeat, headache, drowsiness, dizziness, disorientation, hallucinations, pain in extremities, tremors, loss of coordination, hearing loss, visual disturbances, eye damage, suffocation, blood disorders, convulsions, coma
Nitrogen	Not available	Not available	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma

	Eye Irritation	Skin Irritation	Sensitization
Nitrogen Dioxide	Irritation	Liquid: burns	Respiratory tract irritation, difficulty breathing, skin irritation, eye irritation
Carbon Monoxide	No information on significant adverse effects	No information on significant adverse effects	Acute toxicity, Category 3, inhalation; H331: Toxic if inhaled. Reproductive toxicity, Category 1A; H360D: May damage the unborn child. Specific Target Organ Toxicity (repeated exposure), Category 1; H372: Causes damage to organs through prolonged or repeated exposure.
Nitrogen	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing

### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Nitrogen Dioxide	May be a carcinogen	Mutagenic	May have reproductive effects.	No data
Carbon Monoxide	Not available	Available.	Available.	No data
Nitrogen	Not hazardous	Not available	Not available	No data

## Section 12: Ecological Information

### **Fate and Transport**

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Nitrogen Dioxide	Fish toxicity: Acute LC50 19600 ug/L Fresh water Fish - Tench - Tinca tinca - LARVAE - 20 days - 11.18 mm - 11.36 mg 96 hours Invertibrate toxicity: Acute LC50 79450 ug/L Marine water Crustaceans - Redtail prawn - Penaeus penicillatus - 3.58 to 4.75 cm - 0.4 to	Not available	Not available	Not available

Date of Preparation: 11/18/2021 18:18:12

	0.69 g 48 hours Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available			
Carbon Monoxide	Fish toxicity: 75000 ug/L 1 day(s) LC100 (Mortality) Orangespotted sunfish (Lepomis humilis) Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Relatively non-persistent in the environment. Highly volatile from water.	Not available	Not expected to leach through the soil or the sediment.
Nitrogen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

## **Section 13: Disposal Considerations**

Nitrogen Dioxide	Dispose in accordance with all applicable federal and local regulations.
Carbon	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous
Monoxide	Waste Number(s): D001.
Nitrogen	Dispose in accordance with all applicable regulations.

## **Section 14: Transportation Information**

### U.S. DOT 49 CFR 172.101

### **DOT Information For This Mixture**

Shipping Name	Compressed gas, n.o.s. (Nitrogen, Carbon Monoxide)		
UN Number	UN1956		
Hazard Class	2.2		
Hazard Information	Non-Flammable Gas		

### **Individual Component Information**

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Nitrogen Dioxide	DINITROGEN TETROXIDE; or NITROGEN DIOXIDE	UN1067	2.3, 5.1	Not applicable	DINITROGEN TETROXIDE	Forbidden	Forbidden	N/A
Carbon Monoxide	Carbon monoxide, compressed	UN1016	2.3	Not applicable	2.3; 2.1	Forbidden	25 kg	Toxic- Inhalation Hazard Zone D
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A

### **Canadian Transportation of Dangerous Goods**

	Shipping Name	UN Number	Class	Packing Group / Risk Group
Nitrogen Dioxide	DINITROGEN TETROXIDE; or NITROGEN DIOXIDE	UN1067	2.3	Not applicable
Carbon Monoxide	Carbon monoxide, compressed	UN1016	2.3; 2.1	Not applicable
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable

Ideal Calibrations, LLC page 6 of 7 Date of Preparation: 11/18/2021 18:18:12

## Section 15: Regulatory Information

### **U.S. Regulations**

	CERCLA Sections		SARA 355.40	
Nitrogen Dioxide	Not regulated.	100 LBS TPQ	10 LBS RQ	
Carbon Monoxide	Not regulated.	Not regulated.	Not regulated.	
Nitrogen	Not regulated.	Not regulated.	Not regulated.	

### **SARA 370.21**

	Acute	Chronic	Fire	Reactive	Sudden Release
Nitrogen Dioxide	Yes	No	Yes	No	Yes
Carbon Monoxide	Yes	No	Yes	No	Yes
Nitrogen	Yes	No	No	No	Yes

#### **SARA 372.65**

Nitrogen Dioxide	N/A	
Carbon Monoxide	Not regulated.	
Nitrogen	Not regulated.	

### **OSHA Process Safety**

Nitrogen Dioxide	Not available	
Carbon Monoxide	Not regulated.	
Nitrogen	Not regulated.	

### **State Regulations**

	CA Proposition 65
Nitrogen	Not regulated
Dioxide	
Carbon	WARNING: This product can expose you to chemicals including Carbon Monoxide, which is known to the State of California to
Monoxide	cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
Nitrogen	Not regulated.

### **Canadian Regulations**

	WHMIS Classification
Nitrogen Dioxide	A, C, D1A, D2B, E
Carbon Monoxide	A, B1, D1A, D2A.
Nitrogen	Α

### **National Inventory Status**

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Nitrogen Dioxide	Listed on inventory.	Listed	Listed on inventory.
Carbon Monoxide	Listed on inventory.	Not listed.	Listed on inventory.
Nitrogen	Listed on inventory.	Not listed.	Listed on inventory.

## **Section 16: Other Information**

	NFPA Rating
Nitrogen Dioxide	HEALTH=3 FIRE=0 REACTIVITY=0 SPECIAL=W-1 OX
Carbon Monoxide	HEALTH=2 FIRE=4 REACTIVITY=0
Nitrogen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard